Cherno

Approved For Release 2006/01/30 : CIA-RDP80M00772A000400020030-2

Jak Capy

16 September 1978 25X1 NOTE FOR: SUBJECT: Space for the CLL Office 1. Your plan for conversion of the fifth floor seems fine to me. I have only a few questions: a. Is the density you plan consistent with the density we may have to accept during the transition period when CT is staffing up but before they have moved everything to the Pentagon? b. Is the density you plan consistent with what we will have to attain after that? c. Is there any reason why we could not proceed in the next couple of weeks? Does this, for example, 25X1 leave room for the If the answers to these questions are satisfactory, then I think we should proceed as quickly as possible. 25X1 D/DCI/RMS 25X1 25X1

Approved For Release 2006/01/30 : CIA-RDP80M00772A000400020030-2

Approved For Release 2006/01/30 : CIA-RDP80M00772A000400020030-2

14 September 1978 DCI/IC 78-3959

25X1	MEMORANDUM FOR: D/DCI/RM	
25X1	FROM	
	SUBJECT : Space for CLL Office	
25X1	1. Following our conversation Wednesday evening, I met with and also had a brief conversation with Frank and I agreed that the fifth floor probably had to house four functions: the Planning Guidance Office, the Community and Legislative Liaison Office, space for contractors from time to	25X1
25X1	time, and possible accommodation of activity. Given that, we agreed and recommend the following division of space: OPP, rooms 5NO1-08; CLL, rooms 5SO5-11; Suites 5NO9 and 5N10, which can accommodate up to six people, will be used for contract and/or personnel.	25X1
25X1	2feels that the conversion of the fifth floor conference room into my office causes no problem since the conference space in the basement is very underutilized.	
	3. Should space for special activities not be needed, Frank and I agreed that we would like to convert the interior office into a vaulted storage area. This, however, is not something we would ask for immediately.	
	 If you agree with this plan, we will proceed to have the phones changed and will relocate whenever you feel it appropriate. 	
		25X1
	Attachment	ILLEGIB
	Approved For Release 2006/01/30 : CIA-RDP80M00772A000400020030-2	

*Approved For Release 2006/01/30 : CIA-RDP80M00772A000400020030-2

SUBJECT: Space for CLL Office

Distribution:

- 1 Chief, Support staff
- 1 D/DCI/RM/EA
- 1 D/DCI/RM/EO
- 1 IC Registry 1 CLLO Chrono
- 1 CLLO Subject

25X1

14 September 1978